

Dated: November 5, 2008

Electronic Signature for Danielle Menzies: /Danielle Menzies/

Docket No.: 327_106
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Thomas Böhm et al.

Application No.: 10/553,457

Confirmation No.: 6979

Filed: October 17, 2005

Art Unit: 3746

For: LEAK DETECTOR

Examiner: Kasture, Dnyanesh G.

RESPONSE TO NON-COMPLIANT AMENDMENT

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notification of Non-Compliance with 37 CFR 1.121 mailed October 30, 2008, attached herewith is a Supplemental Amendment containing the amendments to the specification including the markings. All requirements are now believed to have been met.

If the examiner wishes to expedite disposition of the above-captioned patent application, he is invited to contact Applicant's representative at the telephone number below.

Applicant believes no fee is due with this response. However, if a fee is due, please charge our Deposit Account No. 50-0289, under Order No. 327_106 from which the undersigned is authorized to draw.

Dated: November 5, 2008

Respectfully submitted,

Electronic signature: /Denis J. Sullivan/
Denis J. Sullivan
Registration No.: 47,980
MARJAMA MULDOON
BLASIAK & SULLIVAN LLP
250 South Clinton Street
Suite 300
Syracuse, New York 13202
(315) 425-9000
Customer No.: 20874